


LUXRAM *Style*



INSPIRED
LIGHTING

www.inspired-lighting.co.uk

LUXRAM Style Classic-Style Type Smoked



LUXRAM Style Classic-Style Type a Amber



LUXRAM Style Classic-Style Type Opal



LUXRAM *Style* Classic-Deco



LUXRAM LED Smart Lighting




LUXRAM *Classic* Classic LED



LUXRAM *Value Classic* Value Classic LED



LUXRAM *Special* Pixy LED







LUXRAM *Style*

Classic Style Type Smoke





Classic Style Type B Smoke


Art No. 4300051

Ø:200mm H:395mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type C Smoke


Art No. 4300071

Ø:160mm H:275mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type H Smoke


Art No. 4300171

Ø:75mm H:330mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type I Smoke


Art No. 4300191

Ø:120mm H:440mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type J Smoke



Art No. 4300211

Ø:180mm H:190mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type K1 Smoke


Art No. 4300231

Ø:200mm H:270mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type L Smoke


Art No. 4300291

Ø:250mm H:350mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type M Smoke



Art No. 4300301

Ø:280mm H:400mm



Decorative	15,000 hrs	10,000 times	Dimmable	E27	
------------	------------	-----------------	----------	-----	--

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type D Smoke


Art No. 4300081

Ø:160mm H:275mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type G Smoke



Art No. 4300141

Ø:150mm H:300mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type A1 Smoke


Art No. 4300011

Ø:125mm H:325mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



Classic Style Type E Smoke

Art No. 4300101

Ø:150mm H:225mm





| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



LUXRAM *Style*

Classic Style Type Amber



Classic Style Type B Amber



Art No. 4300062

Ø:200mm H:395mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type C Amber



Art No. 4300082

Ø:200mm H:395mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type H Amber



Art No. 4300182

Ø:75mm H:330mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type I Amber


Art No. 4300202

Ø:120mm H:440mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type J Amber


Art No. 4300222

Ø:190mm H:180mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



DIMMABLE



Classic Style Type L Amber


Art No. 4300302

Ø:250mm H:350mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type M Amber



Art No. 4300312

Ø:280mm H:400mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type K1 Amber



Art No. 4300242

Ø:200mm H:270mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type G Amber



Art No. 4300152

Ø:150mm H:300mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type T45 Amber



Art No. 4600122

Ø:45mm H:110mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type D Amber


Art No. 4300092

Ø:160mm H:275mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type E Amber



Art No. 4300112

Ø:150mm H:225mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	6



Classic Style Type A1 Amber

Art No. 4300022

Ø:125mm H:325mm




| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	6



LUXRAM *Style*

Classic Style Type Opal



Classic Style Type 0 Opal


Art No. 4300353

Ø:150mm H:200mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



Classic Style Type N2 Opal


Art No. 4300333

Ø:138mm H:185mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



Classic Style Type N3 Opal


Art No. 4300343

Ø:160mm H:215mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



Classic Style Type N1 Opal


Art No. 4300323

Ø:125mm H:174mm



| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



Classic Style Type M Opal

Art No. 4300363

Ø:280mm H:400mm




| Decorative | 15,000 hrs | 10,000 times | Dimmable | E27 |

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	320	>80	2100	Yes	6



LUXRAM *Style*

Classic Deco



Classic Deco Standard Smoke


Art No. 4600001

Ø:60mm H:108mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	100



Classic Deco Candle Smoke



Art No. 4600021

Ø:35mm H:100mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E14

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
3W	220-240	120	>80	2100	Yes	100



Classic Deco ST64 Smoke


Art No. 4600041

Ø:64mm H:140mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	100



FLICKERING
FREE



DIMMABLE

Classic Deco G80 Smoke



Art No. 4600061

Ø:80mm H:120mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	120	>80	2100	Yes	50



FLICKERING
FREE



DIMMABLE

Classic Deco ST64 Amber


Art No. 4600122

Ø:45mm H:110mm



| Decorative | 15,000 hrs | 15,000 times On/Off | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	100



Classic Deco Star



Art No. 4600272

Ø:118mm H:170mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	100



Classic Deco Love



Art No. 4600282

Ø:115mm H:160mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	100




Classic Deco Tri-Diamond

Art No. 4600292

Ø:115mm H:160mm



Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	100



Classic Deco Diamond


Art No. 4600302

Ø:115mm H:145mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	200	>80	2100	Yes	100



Classic Deco Gold Top G80


Art No. 4600I54

Ø:80mm H:120mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	330	>80	2700	Yes	50



Classic Deco Silver Top G80



Art No. 4600165

Ø:80mm H:120mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	330	>80	2700	Yes	50



Classic Deco Rose Gold Top G80


Art No. 4600176

Ø:80mm H:120mm



| Decorative | 15,000 hrs | 15,000 times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	330	>80	2700	Yes	50



Classic Deco Black Top G80

Art No. 4600182

Ø:80mm H:120mm



| Decorative | 15,000 hrs | On/Off times | Dimmable | E27

Watt (W)	Voltage(V)	Lumen (lm)	CRI	Colour Temp	Dimmable	Packing
4W	220-240	330	>80	2700	Yes	50



LUXRAM



LED Smart Lighting






Smart
Control

Smart
Voice
Control




compatible with
amazon alexa

compatible with
Google Assistant




Digit-Wifi Candle CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3100122	185~264	24	1560	0.5	RGB/2700-6500	400x100	4



Digit-Wifi GLS CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3040002	185~264	9	806	0.9	RGB/2700-6500	60x118	100
3000132	185~264	12	1055	0.5	RGB/2700-6500	60x118	100



Smart Control

Smart Voice Control




compatible with
 amazon alexa

compatible with
 Google Assistant



Digit-Wifi Candle CCT

Art.No	Voltage [V]	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000142	185-264	5	350	0.5	RGB/2700-6500	37x100	100



Smart
Control

Smart
Voice
Control


compatible with
amazon alexa

compatible with
Google Assistant



Digit-Wifi GUIO CCT

Art.No	Voltage [V]	Watt [W]	Beam	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHmm]	Packing
3000152	185-264	5	100°	300	0.5	RGB/2700-6500	50x67	100



Smart Control



Smart Voice Control




compatible with
 **amazon alexa**

compatible with
 **Google Assistant**




 Digit-Wifi Globe D95 RGB+CCT

Art.No	Voltage [V]	Watt [W]	Beam	Lumen [lm]	PF	Colour Temp [K]	Measurement [LxHxmm]	Packing
3000242	185-264	12	230°	1055	0.5	RGB/2700-6500	95x139	50



Smart Control

Smart Voice Control




Digit-Wifi Globe D120 RGB+CCT

Art.No	Voltage [V]	Watt [W]	Beam	Lumen [lm]	PF	Colour Temp [K]	Measurement [L×Hmm]	Packing
3000252	185~264	15	230°	1200	0.5	RGB/2700-6400	120×160	20



LUXRAM *Classic*


Classic LED



Clear

220-240V~ VOLTAGE E27 CAP ≥80 RA 300°A BEAM 25000H LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
716101652	6.5	806	0.5	4000	No	100
763111252	6.5	806	0.5	4000	Yes	100
763131272	12	1521	0.5	4000	Yes	100
763131273	12	1521	0.5	2700	Yes	100



3
YEAR
WARRANTY



Clear

220~240V
VOLTAGE


E14
CAP

≥80
RA

300°
BEAM

25000H
LIFE TIME


Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
763411132	4	470	0.5	4000	No	100
763411232	4	470	0.5	4000	Yes	100
763411242	5.5	600	0.5	4000	Yes	100
763411243	5.5	600	0.5	2700	Yes	100



Clear

220~240V $\frac{4}{5}$ B22 ≥ 80 300° $\wedge$ 25000H
VOLTAGE CAP RA BEAM LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
763416233	4	470	0.5	2700	Yes	100




Clear

220~240V ⚡ E27 ≥80 300°A 25000H
VOLTAGE CAP RA BEAM LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
763417232	4	470	0.5	4000	Yes	100

LUXRAM Classic | Classic LED



3 YEAR
WARRANTY



Clear

220~240V ⚡
VOLTAGE


E14
CAP

≥80
RA

300°A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
763511163	6.5	806	0.5	2700	Yes	100



3
YEAR
WARRANTY



**FLICKERING
FREE**

**0-100%
DIMMABLE**

Clear

220~240V
VOLTAGE

E14
CAP

≥80
RA

300°A
BEAM


25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
763512162	6.5	806	0.5	4200	No	100
763512163	6.5	806	0.5	2700	No	100



LUXRAM Value *Classic*

Value Classic LED



230V



E14



15000H



Ra ≥ 80

Clear


230V 
VOLTAGE

E14
CAP

≥80
RA

15000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
763411113	2	250	0.45	2700	No	100



230V



E14



15000H



$Ra \geq 80$

Clear


230V
VOLTAGE

E14
CAP

≥ 80
RA

15000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
763512113	2	250	0.45	2700	No	100



230V



E27



15000H



Ra ≥ 80

Clear

230V 
VOLTAGE

E27
CAP

≥80
RA


15000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
763511113	2	250	0.45	2700	No	100



LUXRAM Special

Pixy LED



3
YEAR
WARRANTY

CE

CCT
SWITCH

360°
LIGHTING

0-100%
DIMMABLE



Clear

220~240V
VOLTAGE


G9
CAP

≥80
RA

360°
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
750300154	5	450	0.5	3000/4000/6400	No	200



1 YEAR
WARRANTY



360°
LIGHTING

0-100%
DIMMABLE

Clear

220~240V ⚡
VOLTAGE

G9
CAP

≥80
RA

360° A
BEAM

25000H
LIFE TIME

Art.No	Watt [W]	Lumen [lm]	PF	Colour Temp [K]	Dimmable	Packing
750300042	4	360	0.5	4000	Yes	200



LUXRAM *Style*

Conditions Of Sale

- 1) Any Breakages must be notified in writing within 3 days of receipt of the goods. After this no liability will be accepted.
- 2) All quoted Lamp Lives are an average calculation not a Guarantee. Even though most of our lamps will last way beyond the specified life a small number may not.

HEAD OFFICE:
INSPIRED LIGHTING LTD

Sefton Street,
Heywood, OL10 2JF, UK.

Tel : +44 (0)1706 62 00 77

Fax : +44 (0)1706 62 00 79

Email : sales@inspired-lighting.co.uk

Website : www.inspired-lighting.co.uk

Registered in England & Wales : 05684570

VAT Registration No : 878 3961 59

Sales Office Open : Mon - Fri: 8:00am - 6:00pm

SHOWROOM BY APPOINTMENT ONLY

I N S P I R E D
L I G H T I N G

www.inspired-lighting.co.uk